

Package ‘jquerylib’

May 8, 2026

Title Obtain 'jQuery' as an HTML Dependency Object

Version 0.1.4

Description

Obtain any major version of 'jQuery' (<<https://code.jquery.com/>>) and use it in any web-page generated by 'htmltools' (e.g. 'shiny', 'htmlwidgets', and 'rmarkdown').

Most R users don't need to use this package directly, but other R packages (e.g. 'shiny', 'rmarkdown', etc.) depend on this package to avoid bundling redundant copies of 'jQuery'.

License MIT + file LICENSE

Encoding UTF-8

Config/testthat/edition 3

RoxygenNote 7.0.2

Imports htmltools

Suggests testthat

NeedsCompilation no

Author Carson Sievert [aut, cre] (ORCID:

<<https://orcid.org/0000-0002-4958-2844>>),

Joe Cheng [aut],

RStudio [cph],

jQuery Foundation [cph] (jQuery library and jQuery UI library),

jQuery contributors [ctb, cph] (jQuery library; authors listed in

inst/lib/jquery-AUTHORS.txt)

Maintainer Carson Sievert <carson@rstudio.com>

Repository CRAN

Date/Publication 2021-04-26 17:10:02 UTC

Contents

jquery_core	2
Index	3

`jquery_core`*Obtain jQuery Core as an HTML dependency*

Description

Obtain jQuery Core as an HTML dependency

Usage

```
jquery_core(major_version = 3, minified = getOption("shiny.minified",  
  TRUE))
```

Arguments

`major_version` The major version of jQuery Core. Currently 1, 2, and 3 are supported.
`minified` whether or not to provide a minified JavaScript file.

Value

A `htmltools::htmlDependency()` object.

Index

`htmltools::htmlDependency()`, 2

`jquery_core`, 2